

Confixx

Confixx SPAMASSASSIN installation

STEP 1.

INSTALLING 3RD PARTY PRODUCTS FROM THE SUSE DISTRIBUTION

Below is the list of SuSE packages to be installed if you chose recommended configuration.

```
apache
apache-mod_php4
apache-mod_python
mysql
mysql-shared
mysql-client
mod_php4-core
perl
perl-DBI
perl-Msql-Mysql-modules
vsftpd
postfix
qpopper
bind
bind-utils
webalizer
procmail
gcc
  libc6-dev
make
perl-spamassassin (SuSE 9)
spamassassin (SuSE 9)
```

The SpamAssassin software gives an ability to filter SPAM in your customers Mailboxes when receiving mail there.

Skip the step if you do not need SpamAssassin support in Confixx. You can also skip the step for SuSE9 box, if you already installed SpamAssassin package from SuSE distribution.

The latest software version can be found on <http://spamassassin.org>
The latest (at the moment of publishing) zipped version can be downloaded via the following URL:

<http://au2.spamassassin.org/released/Mail-SpamAssassin-2.61.tar.gz>

Unpack the ditribution

```
#~: tar -xzf Mail-SpamAssassin-2.60.tar.gz
```

```
#~: cd Mail-SpamAssassin-2.60
```

Build it

```
#~: perl Makefile.PL
```

```
#~: make
```

Confixx

#~: make install

You need to extract the files

/etc/init.d/spamassassin

/etc/procmailrc

/etc/default/spamassassin

from the files.tgz archive and place them at the locations specified (packed from / - directory).

Then edit /etc/postfix/main.cf file to set the following option:

mailbox_command = /usr/bin/procmail

then launch

#~: update-rc.d spamassassin defaults

Make sure that file /etc/mail/spamassassin/local.cf exists

and create it if no:

#~: touch /etc/mail/spamassassin/local.cf

Now SpamAssassin is configured.

Eindeutige ID: #1016

Verfasser: Michael Stender

Letzte Änderung: 2007-08-08 03:04